

Discard Estimates for Atlantic Sturgeon in Federal Waters

Daniel J. Hocking NOAA/NMFS/GARFO

Last Updated on 19 January 2024

The Northeast Fisheries Science Center (NEFSC) generated estimates of total annual discards of Atlantic Sturgeon (*Acipenser oxyrinchus oxyrinchus*) from 2000 - 2021 in the otter trawl and gillnet fisheries. The analysis was conducted most recently by Boucher and Curti (2022) following the methods used by Miller and Shepherd (2011), Miller (2015), and Curti (2016). The general approach was to use observer data to estimate discards as a function of gear type, year, quarter of the year, and species landed. The resulting generalized linear model was then applied to data from modified vessel trip reports (VTR) in the NEFSC VESLOG to estimate total sturgeon discards and resulting mortality for all federally permitted vessels in state and federal waters.

Here we apply the models from Boucher and Curti (2022) to otter trawl and gillnet data on subtrips in federal waters. To best match the data used in the assessment, we used data from the Catch Accounting and Management System (CAMS) but restricted to data with valid latitude and longitude from a VTR that indicated they actively fished in non-coastal waters, as done through VESLOG data in the assessment. We further filtered the data to only trips with VTR fishing locations in federal waters.

The best trawl model did not include any year-specific predictor variables, therefore we were able to estimate discards for all years, including those not in the observer data used for model fitting (e.g. 2020). For years without observer-specific mortality rates, we used the mean across other years. The best gillnet model included year, species by year, and quarter by year as independent predictors, therefore discards could only be estimated for years used in the model fitting (e.g. not 2020).

The results presented in the tables below are estimates from federally-permitted vessels fishing in federal waters and reporting valid location data. The results do not always coincide precisely with those from the assessment due to slight differences in the data used and in some cases the federal bycatch presented here can be higher than the mean total estimate from the assessment but those are in situations of high uncertainty and fall well within the confidence interval.

Table 1: Annual estimates of Atlantic Sturgeon discards by federally permitted vessels in federal waters using bottom otter trawl gear.

Year	Total Federal Bycatch	Standard Error	Proportion Dead	Dead Bycatch	Lower CI (2.5%)	Upper CI (97.5%)
1996	779	115	0.035	27	20	35
1997	837	99	0.035	30	23	36
1998	749	80	0.035	26	21	32
1999	1446	664	0.035	51	5	97
2000	986	199	0.000	0	0	0
2001	721	79	0.000	0	0	0
2002	804	80	0.000	0	0	0
2003	665	66	0.000	0	0	0
2004	651	60	0.000	0	0	0
2005	639	63	0.143	91	74	109
2006	724	72	0.179	130	104	155
2007	591	68	0.086	51	39	62
2008	721	176	0.161	116	61	172
2009	712	82	0.021	15	12	18
2010	585	53	0.009	5	4	6
2011	557	50	0.000	0	0	0
2012	533	47	0.000	0	0	0
2013	547	53	0.000	0	0	0
2014	493	40	0.000	0	0	0
2015	409	29	0.000	0	0	0
2016	397	30	0.000	0	0	0
2017	359	28	0.000	0	0	0
2018	338	31	0.080	27	22	32
2019	401	33	0.000	0	0	0
2020	369	36	0.035	13	11	16
2021	354	32	0.062	22	18	26
2022	310	26	0.035	11	9	13

Table 2: Annual estimates of Atlantic Sturgeon discards by federally permitted vessels in federal waters using drift or sink gillnet gear.

Year	Total Federal Bycatch	Standard Error	Proportion Dead	Dead Bycatch	Lower CI (2.5%)	Upper CI (97.5%)
1996			0.297			
1997			0.297			
1998			0.297			

Year	Total Federal Bycatch	Standard Error	Proportion Dead	Dead Bycatch	Lower CI (2.5%)	Upper CI (97.5%)
1999			0.297			
2000	1551	582	0.128	199	53	344
2001	607	483	0.298	181	0	463
2002	2643	1989	0.240	634	0	1570
2003	411	116	0.212	87	39	135
2004	957	228	0.487	466	249	684
2005	511	145	0.306	156	69	244
2006	821	172	0.124	102	60	143
2007	781	231	0.200	156	66	247
2008	531	327	0.279	148	0	327
2009	843	270	0.129	109	40	177
2010	392	76	0.507	199	123	274
2011	434	152	0.440	191	60	322
2012	354	85	0.435	154	81	227
2013	1233	390	0.375	462	175	749
2014	482	111	0.333	160	88	233
2015	598	89	0.277	166	117	214
2016	1336	137	0.316	422	337	507
2017	709	91	0.216	153	115	191
2018	885	115	0.265	235	175	294
2019	734	84	0.200	147	114	180
2020			0.297			
2021	393	100	0.462	181	91	272
2022	408	70	0.297	121	80	161

Table 3: Annual percent of Atlantic Sturgeon discards by federally-permitted vessels in federal waters using otter trawl gear.

Year	Total By-catch	Federal By-catch	State By-catch	Percent Federal Waters Bycatch			Percent Federal Waters Dead	
				Proportion	Federal Dead	State Dead	Federal Waters Dead	
1996	1569	779	791	49.6	0.035	27	28	49.1
1997	1735	837	898	48.2	0.035	30	31	49.2
1998	1695	749	946	44.2	0.035	26	33	44.1
1999	2840	1446	1394	50.9	0.035	51	49	51.0
2000	1996	986	1010	49.4	0.000	0	0	
2001	1872	721	1152	38.5	0.000	0	0	
2002	1734	804	930	46.4	0.000	0	0	
2003	1644	665	979	40.5	0.000	0	0	

Year	Total By-catch	Federal By-catch	State By-catch	Percent Federal Waters Bycatch	Proportion Dead	Federal Dead	State Dead	Percent Federal Waters Dead
2004	1434	651	782	45.4	0.000	0	0	
2005	1231	639	591	51.9	0.143	91	85	51.7
2006	1391	724	668	52.0	0.179	130	120	52.0
2007	1198	591	607	49.3	0.086	51	52	49.5
2008	1283	721	562	56.2	0.161	116	90	56.3
2009	1238	712	526	57.5	0.021	15	11	57.7
2010	1235	585	650	47.4	0.009	5	6	45.5
2011	1206	557	648	46.2	0.000	0	0	
2012	1120	533	586	47.6	0.000	0	0	
2013	1206	547	659	45.4	0.000	0	0	
2014	1078	493	585	45.7	0.000	0	0	
2015	1005	409	595	40.7	0.000	0	0	
2016	945	397	548	42.0	0.000	0	0	
2017	927	359	567	38.8	0.000	0	0	
2018	905	338	567	37.3	0.080	27	45	37.5
2019	1001	401	600	40.1	0.000	0	0	
2020	883	369	514	41.8	0.035	13	18	41.9
2021	805	354	452	43.9	0.062	22	28	44.0
2022	664	310	354	46.7	0.035	11	12	47.8

Table 4: Annual percent of Atlantic Sturgeon discards by federally-permitted vessels in federal waters using drift or sink gillnet gear.

Year	Total By-catch	Federal By-catch	State By-catch	Percent Federal Waters Bycatch	Proportion Dead	Federal Dead	State Dead	Percent Federal Waters Dead
1996				0.297				
1997				0.297				
1998				0.297				
1999				0.297				
2000	3062	1551	1511	50.6	0.128	199	193	50.8
2001	1717	607	1110	35.4	0.298	181	331	35.4
2002	4058	2643	1415	65.1	0.240	634	340	65.1
2003	2317	411	1906	17.7	0.212	87	404	17.7
2004	1740	957	782	55.0	0.487	466	381	55.0
2005	808	511	297	63.3	0.306	156	91	63.2
2006	1439	821	619	57.0	0.124	102	77	57.0
2007	1449	781	668	53.9	0.200	156	134	53.8

Year	Total By-catch	Federal By-catch	State By-catch	Percent Federal Waters Bycatch	Proportion Dead	Federal Dead	State Dead	Percent Federal Waters Dead
2008	943	531	412	56.3	0.279	148	115	56.3
2009	1871	843	1028	45.1	0.129	109	133	45.0
2010	557	392	166	70.3	0.507	199	84	70.3
2011	552	434	118	78.6	0.440	191	52	78.6
2012	483	354	129	73.3	0.435	154	56	73.3
2013	1689	1233	457	73.0	0.375	462	171	73.0
2014	707	482	225	68.2	0.333	160	75	68.1
2015	1073	598	475	55.7	0.277	166	131	55.9
2016	1930	1336	594	69.2	0.316	422	188	69.2
2017	1573	709	865	45.1	0.216	153	187	45.0
2018	1266	885	381	69.9	0.265	235	101	69.9
2019	1274	734	539	57.6	0.200	147	108	57.6
2020				0.297				
2021	692	393	299	56.8	0.462	181	138	56.7
2022	822	408	415	49.6	0.297	121	123	49.6

The percent of sturgeon bycatch and takes by federally-permitted vessels in federal waters relative to these vessels in total ranged from 37.3 to 57.5 for otter trawl trips and from 17.7 to 78.6 on gillnet trips. These percentages do not include any bycatch or takes by state vessels or vessels otherwise not required to submit a VTR.

References

- Boucher, J.M. and Curti, K.L. 2022. Discard Estimates for Atlantic Sturgeon through 2021. White paper (unpublished).
- Curti, K. 2016. Updated Summary of Discard Estimates for Atlantic Sturgeon (White paper). NOAA/NMFS, Woods Hole, MA: Population Dynamics Branch.
- Miller, T. J., and Shepherd, G.R. 2011. Summary of discard estimates for Atlantic sturgeon (White paper). NOAA/NMFS, Woods Hole, MA: Population Dynamics Branch.
- Miller, T.J. 2015. Updated summary of discard estimates for Atlantic sturgeon (White paper). NOAA/NMFS, Woods Hole, MA: Population Dynamics Branch. Provided to the Atlantic States Marine Fisheries Commission.